

# MSDS

medlink Imaging, LLC. 1-800-456-7800  
295 North Street  
Teterboro, New Jersey 07608  
for chemical **Emergency: (800) 424-9300**

## Section 1 Identification:

**Chemical Name:** medblend Fixer Part 2      **Chemical Family:** Aqueous Solutions

**MSDS Number:** MEDB-CPFIXB or MEDB-FIX2      **Date:** 01/09

## Section 2 Composition (Ingredients required):

	%	CAS Number	ACGIH (TLV)	OSHA (PEL)
Aluminum Sulfate	40-50	10043-01-3	2mg/m <sup>3</sup>	Not Established

## Section 3 Hazards Identification:

**Warning! Contains:** Aluminum Sulfate.  
May irritate eyes or skin.  
Inhalation may irritate respiratory tract.

## Section 4 First Aid Measures:

**Eyes:** Immediately flush eyes with water for fifteen minutes. Seek medical help.  
**Skin:** Remove contaminated clothing. Flush skin for fifteen minutes. If symptoms persist, seek medical help.  
**Ingestion:** Conscious subject: immediately give large amounts of water. Do not induce vomiting. Unconscious person: call for medical help immediately. Do not give anything by mouth to an unconscious person.  
**Inhalation:** Remove subject to fresh air. If symptoms persist, seek medical help.

## Section 5 Fire Fighting Measures:

**Flash Point:** None.  
**Extinguishing Media:** Use media for surrounding material.  
**Fire Fighting Procedures:** No special procedures.  
**Unusual Fire and Explosion Hazards:** None.

## Section 6 Accidental Release Measures:

Small spills may be mopped up. Soak spill with saw dust, sand, oil dry, or any other absorbent material.  
Dispose of recovered material in accordance with all federal, state, and local regulations.

## Section 7 Handling and Storage:

No special storage requirements.

## Section 8 Exposure Controls:

NOISH approved respirator for mists. No special ventilation is necessary, except in small enclosed areas where a local exhaust fan should be used. Use latex neoprene gloves, safety glasses with side-shields or chemical goggles. Wear a chemical resistant apron.

## Section 9 Physical Chemical Properties:

<b>Boiling Point:</b> > 212 degrees F	<b>Solubility in Water:</b> Complete
<b>Appearance:</b> Colorless liquid	<b>Odor:</b> N/A
<b>Specific Gravity:</b> 1.27 @ 15°C	<b>pH Level:</b> 2.3 @ 25°C

# MSDS

medlink Imaging, LLC. 1-800-456-7800  
295 North Street  
Teterboro, New Jersey 07608  
for chemical **Emergency: (800) 424-9300**

## medblend Fixer Part 2

### Section 10 Stability and Reactivity:

**Chemical Stability:** Stable

**Incompatibility:** Oxidizing Materials, Strong Alkaline Materials, and most metals.

**Decomposition Products:** Carbon Dioxide, Carbon Monoxide, and Oxides of Sulfur.

### Section 11 Toxicology Information:

May irritate eyes, skin and respiratory tract. May cause skin rash. May cause allergic reactions in some people. Inhalation may cause adverse reactions in susceptible individuals, especially asthmatics.

### Section 12 Ecological Information:

Small quantities diluted with water followed by secondary waste treatment system should not cause adverse environmental effects.

### Section 13 Disposal Considerations:

Dispose of recovered materials through a licensed contractor or a waste water treatment system. Comply with all federal, state and local regulations.

### Section 14 Transportation Information:

For transportation regarding this product, contact medlink Imaging, LLC. 1-800-456-7800.

### Section 15 Regulatory Information:

Materials known to state of California to cause cancer: None.

Materials known to state of California to cause adverse reproductive effects: None.

Carcinogenicity Classification (components present at 0.1% or more):

International Agency for Research of Cancer (IARC): None

American Conference of Governmental Industrial Hygienists (ACGIH): None.

National Toxicology Program (NTP): None.

Occupational Safety and Health Administration (OSHA): None.

Chemicals subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments Reauthorization Act (SARA) of 1986 and 40 CFR Part 372: None.

### Section 16 Other Data:

**NFPA HAZARD CODES (0=LEAST; 4=MOST)**

HEALTH=2

FLAMMABILITY=0

REACTIVITY=0

SPECIFIC HAZARD=0